Issue date: 04/13/2015

Revision Date: 04/13/2015

# **1** Identification

# · Product identifier

#### · Trade name: Multipurpose Dye

· Part number: 69088

Application of the substance / the mixture Multipurpose Fluroescent Dye

- · Details of the supplier of the safety data sheet
  - · Manufacturer/Supplier:

UView Ultraviolet Systems Inc., division of, CPS Products Canada Ltd. 1324 Blundell Road Mississauga, ON, L4Y 1M5

Canada

· Emergency telephone number:

CHEMTREC International +1 (703) 527-3887 (outside the US), 1-800-424-9300 (in the US) 24 hr

# 2 Hazard(s) identification

#### · Classification of the substance or mixture

Asp. Tox. 1 H304 May be fatal if swallowed and enters airways.

#### · Label elements

· GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS). • Hazard pictograms



· Signal word Danger

- · Hazard-determining components of labeling:
- Distillates (petroleum), hydrotreated light naphthenic
- · Hazard statements

May be fatal if swallowed and enters airways.

Precautionary statements

Avoid breathing dust/fume/gas/mist/vapors/spray If swallowed: Immediately call a poison center.

Do NOT induce vomiting.

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

- Additional information: For Professional Use Only
- · Classification system:
  - NFPA ratings (scale 0 4)

 $0 \quad 0 \quad Health = 0$ Fire = 1 Reactivity = 0

· HMIS-ratings (scale 0 - 4)



(Contd. on page 2)

US

Issue date: 04/13/2015

Revision Date: 04/13/2015

# Trade name: Multipurpose Dye

(Contd. of page 1)

50-<75%

· Other hazards

· Results of PBT and vPvB assessment

- · PBT: Not applicable.
- · vPvB: Not applicable.

## **3 Composition/information on ingredients**

#### · Chemical characterization: Mixtures

• **Description:** Mixture: consisting of the following components.

#### · Chemical components:

64742-53-6 Distillates (petroleum), hydrotreated light naphthenic

118685-22-6 Decanoic acid, mixed esters with dipentaerythritol, heptanoic acid, 3-<10% isononanoic acid, and octanoic acid

# **4 First-aid measures**

#### · Description of first aid measures

- After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact:

Immediately rinse with water. Immediately remove all contaminated clothing. If skin irritation occurs, get medical attention. Launder contaminated clothing before reuse.

· After eye contact:

Rinse cautiously with water. Remove contact lenses, if present and easy to do. Get medical attention if eye irritation develops or persists.

- After swallowing: DO NOT INDUCE VOMITING. Get immediate medical attention.
- · Information for doctor: Treat Systematically
  - Most important symptoms and effects, both acute and delayed No further relevant information available.
  - Indication of any immediate medical attention and special treatment needed No further relevant information available.

# **5 Fire-fighting measures**

#### · Extinguishing media

Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- · For safety reasons unsuitable extinguishing agents: Water with full jet
- Special hazards arising from the substance or mixture See section 10 for additional information.
- Advice for firefighters
  - · Protective equipment:

Recommend wearing self-contained breathing apparatus. Water may cause splattering.

· Additional information

Collect contaminated fire fighting water separately. It must not enter the sewage system.

# 6 Accidental release measures

#### $\cdot$ Personal precautions, protective equipment and emergency procedures

Personal protective equipment must be worn. Avoid contact with skin, eyes or clothing. Ventilate area if spilled in a confined space or other poorly ventilated area.

Use respiratory protective device against the effects of fumes/dust/aerosol.

(Contd. on page 3)

US '

Issue date: 04/13/2015

Revision Date: 04/13/2015

# Trade name: Multipurpose Dye

(Contd. of page 2)

- · Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- · Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Ensure adequate ventilation.
- · Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

# 7 Handling and storage

#### · Handling:

· Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

- Prevent formation of aerosols.
- · Information about protection against explosions and fires: No special measures required.

## · Conditions for safe storage, including any incompatibilities

#### Storage:

- · Requirements to be met by storerooms and receptacles:
- See section 10 for incompatible materials.
- · Information about storage in one common storage facility: Store only in the original receptacle.
- · Further information about storage conditions: Store in cool, dry conditions in well sealed receptacles.
- · Specific end use(s) No further relevant information available.

# 8 Exposure controls/personal protection

## · Control parameters

# · Components with limit values that require monitoring at the workplace:

- 64742-53-6 Distillates (petroleum), hydrotreated light naphthenic (50-<99.9%)
- ACGIH TLV STEL: 5 mg/m<sup>3</sup>

TWA: 10 mg/m<sup>3</sup>

· Additional information: The lists that were valid during the creation were used as basis.

## · Other Exposure Limits

Contains mineral oil. Under conditions which may generate mists, observe the OSHA PEL of 5 mg per cubic meter, ACGIH TWA of 5 mg per cubic meter.

## · Exposure controls

## · Personal protective equipment:

- General protective and hygienic measures:
- Wash hands before breaks and at the end of work.
- Do not inhale gases / fumes / aerosols.

The usual precautionary measures for handling chemicals should be followed.

- Do not expose to excessive heat, ignition sources.
- · Breathing equipment:
- Use suitable respiratory protective device when high concentrations are present.
- · Protection of hands:



Chemical resistant protective gloves

US

Issue date: 04/13/2015

Revision Date: 04/13/2015

# Trade name: Multipurpose Dye

(Contd. of page 3)

· Eye protection:



Safety glasses. If potential for splash or mist exists, wear chemical goggles or faceshield.

Information on basic physical and cl General Information	nemical properties
· Appearance:	
· Form:	Liquid
· Color:	Dark brown
· Odor:	Petrol-like
· Odour threshold:	Not determined.
· pH-value:	Not determined.
· Change in condition	
• Melting point/Melting range:	Undetermined.
<ul> <li>Boiling point/Boiling range:</li> </ul>	Undetermined.
· Flash point:	> 100 °C (> 212 °F)
· Flammability (solid, gaseous):	Not applicable.
<ul> <li>Ignition temperature:</li> </ul>	
<ul> <li>Decomposition temperature:</li> </ul>	Not determined.
· Auto igniting:	Product is not selfigniting.
<ul> <li>Danger of explosion:</li> </ul>	Product does not present an explosion hazard.
· Explosion limits:	
· Lower:	Not determined.
· Upper:	Not determined.
· Vapor pressure:	Not determined.
· Density at 20 °C (68 °F):	0.88 g/cm³ (7.344 lbs/gal)
<ul> <li>Relative density</li> </ul>	Not determined.
<ul> <li>Vapour density</li> </ul>	Not determined.
· Evaporation rate	Not determined.
· Solubility in / Miscibility with	
· Water:	Not miscible or difficult to mix.
Partition coefficient (n-octanol/wa	ater): Not determined.
· Viscosity:	
	Not determined.
· Kinematic at 40 °C (104 °F):	9.09 mm²/s
· Solvent content:	
· Organic solvents: Other information	0.0 % No further relevant information available.

(Contd. on page 5)

Issue date: 04/13/2015

Revision Date: 04/13/2015

# Trade name: Multipurpose Dye

(Contd. of page 4)

# 10 Stability and reactivity

#### · Reactivity

· Chemical stability

#### · Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

- Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid Heat, open flames, sparks.
- · Incompatible materials: May react with strong oxidizing materials.
- Hazardous decomposition products:

Smoke, carbon monoxide, carbon dioxide and other products of incomplete combustion.

## **11 Toxicological information**

#### · Information on toxicological effects

#### · Acute toxicity:

#### · LD/LC50 values that are relevant for classification:

#### Multipurpose Dye

Oral LD50 >2000 mg/kg (rat)

Dermal LD50 >2000 mg/kg (rabbit)

#### · Primary irritant effect:

#### · on the skin:

May cause mild skin irritation. Prolonged or repeated skin contact as from clothing wet with material may cause dermatitis. Symptoms may include redness, edema, drying, and cracking of the skin.

- · on the eye: mild irritant
- Sensitization: No sensitizing effects known.

#### Additional toxicological information:

#### · Carcinogenic categories

· IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

#### · NTP (National Toxicology Program)

None of the ingredients is listed.

#### · OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

# 12 Ecological information

#### · Toxicity

- Aquatic toxicity: No further relevant information available.
- Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
  - · Bioaccumulative potential No further relevant information available.
  - Mobility in soil No further relevant information available.
- · Additional ecological information:

· General notes:

Water hazard class 2 (Self-assessment): hazardous for water

Do not allow product to reach ground water, water course or sewage system.

Danger to drinking water if even small quantities leak into the ground.

(Contd. on page 6)

Issue date: 04/13/2015

Revision Date: 04/13/2015

## Trade name: Multipurpose Dye

(Contd. of page 5)

#### · Results of PBT and vPvB assessment

• **PBT:** Not applicable.

· vPvB: Not applicable.

· Other adverse effects No further relevant information available.

# **13 Disposal considerations**

#### · Waste treatment methods

· Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
  - Recommendation: Disposal must be made according to official regulations.

# 14 Transport information

Not Regulated	
Not Regulated	
Not Regulated	
Not Regulated	
No	
Not applicable.	
Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable.	
-	

# 15 Regulatory information

· Safety, health and environmental regulations/legislation specific for the substance or mixture

· Sara

Section 355 (extremely hazardous substances):

None of the ingredients is listed.

# · Section 313 (Specific toxic chemical listings):

None of the ingredients is listed.

#### · TSCA (Toxic Substances Control Act):

64742-53-6 Distillates (petroleum), hydrotreated light naphthenic

(Contd. on page 7)

US

Issue date: 04/13/2015

Revision Date: 04/13/2015

Trade name: Multipurpose Dye

(Contd. of page 6)

#### Proposition 65

· Chemicals known to cause cancer:

None of the ingredients is listed.

#### · Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

#### · Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

#### Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

# · Carcinogenic categories

· EPA (Environmental Protection Agency)

None of the ingredients is listed.

#### · TLV (Threshold Limit Value established by ACGIH)

None of the ingredients is listed.

#### · NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

#### · GHS label elements

- The product is classified and labeled according to the Globally Harmonized System (GHS).
- Hazard pictograms



· Signal word Danger

- Hazard-determining components of labeling: Distillates (petroleum), hydrotreated light naphthenic
- Hazard statements
- May be fatal if swallowed and enters airways.

# Precautionary statements Avoid breathing dust/fume/gas/mist/vapors/spray If swallowed: Immediately call a poison center. Do NOT induce vomiting. Store locked up. Dispose of contents/container in accordance with local/regional/national/international regulations.

# **16 Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

#### · Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

- IMDG: International Maritime Code for Dangerous Goods
- IATA: International Air Transport Association
- GHS: Globally Harmonised System of Classification and Labelling of Chemicals
- EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances
- CAS: Chemical Abstracts Service (division of the American Chemical Society)

US

Issue date: 04/13/2015

Revision Date: 04/13/2015

# Trade name: Multipurpose Dye

LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent Asp. Tox. 1: Aspiration hazard, Hazard Category 1 (Contd. of page 7)

US